

HONNEX
Lighting expert

LED PANEL

Catalogue

2019 LED Panel Catalogue




Ultra Slim Long Lifetime

- Ultra slim design, meet Various indoor occasions;
- Meet a variety of installation requirements
- Lumen can reach 130lm/W, UGR<19
- PHILIPS Original driver for choice, lifetime can be 50000H.
- LOW MOQ

Model	Wattage	Efficacy	Lumens	PF	CRI	Voltage	LGP	Frame weight	Lifetime
PL160L LED32S 8/40 W60L60	40	80lm/W	3200	0.95	Ra≥80	220-240Vac	MS2.0	250G	30000H
PL160L LED36S 9/40 W60L60	40	90lm/W	3600	0.95	Ra≥80	220-240Vac	MS2.0	250G	30000H
PL160H LED40S 10/40 W60L60	40	100lm/W	4000	0.95	Ra≥80	220-240Vac	MS2.2	300G	30000H
PL160H LED48S 12/40 W60L60	40	120lm/W	4800	0.95	Ra≥80	220-240Vac	MS3.0	300G	30000H
PL160H LED52S 13/40 W60L60	40	130lm/W	5200	0.95	Ra≥80	220-240Vac	MS3.0	300G	30000H
PL160L LED32S 8/40 W30L120	40	80lm/W	3200	0.95	Ra≥80	220-240Vac	MS2.0	250G	30000H
PL160L LED36S 9/40 W30L120	40	90lm/W	3600	0.95	Ra≥80	220-240Vac	MS2.0	250G	30000H
PL160H LED40S 10/40 W30L120	40	100lm/W	4000	0.95	Ra≥80	220-240Vac	MS2.2	300G	30000H
PL160H LED48S 12/40 W30L120	40	120lm/W	4800	0.95	Ra≥80	220-240Vac	MS3.0	300G	30000H
PL160H LED52S 13/40 W30L120	40	130lm/W	5200	0.95	Ra≥80	220-240Vac	MS3.0	300G	30000H

*More information pls check www.honnexlighting.com




Colorful Panel

- Ultra slim design, meet Various indoor occasions;
- RGB, RGBW, RGBCW and more Smart Control.
- High Quality, Long lifetime, Brightly Colors.
- LOW MOQ

Model	Wattage	Efficacy	Lumens	PF	Voltage	LGP	Frame weight	Lifetime
PL310H LED36S 40 W60L60 RGBCW	40	90lm/W	3600	0.95	220-240Vac	PMMA3.0	330G	30000H
PL310H LED36S 40 W60L60 RGBW	40	90lm/W	3600	0.95	220-240Vac	PMMA3.0	330G	30000H
PL310L LED36S 40 W60L60 RGB	40	90lm/W	3600	0.95	220-240Vac	PMMA3.0	300G	30000H
PL320H LED36S 40 W60L60 Dim	40	90lm/W	3600	0.95	220-240Vac	MS3.0	330G	30000H
PL310H LED36S 40 W60L60 3Step	40	90lm/W	3600	0.95	220-240Vac	MS3.0	330G	30000H

*More information pls check www.honnexlighting.com




IP65 Panel

- Waterproof, real IP65 Level
- Suitable for complex lighting environment.
- Choosing high quality chips, Long lifetime, Brightly colors.
- LOW MOQ.

Model	Wattage	Efficacy	Lumens	PF	Voltage	LGP	IP Rate	Lifetime
PL610L LED36S 9/40 W60L60 WP	40	90lm/W	3600	0.95	220-240Vac	MS2.0	IP65	30000H
PL610L LED38S 8/48 W60L60 WP	48	80lm/W	3800	0.95	220-240Vac	MS2.0	IP65	30000H
PL610L LED36S 9/40 W30L120 WP	40	90lm/W	3600	0.95	220-240Vac	MS2.0	IP65	30000H
PL610L LED38S 8/48 W30L120 WP	48	80lm/W	3800	0.95	220-240Vac	MS2.0	IP65	30000H
PL610L LED48S 8/60 W60L120 WP	60	80lm/W	4800	0.95	220-240Vac	MS3.0	IP65	30000H
PL610L LED57S 8/72 W60L120 WP	72	80lm/W	5700	0.95	220-240Vac	MS3.0	IP65	30000H

*More information pls check www.honnexlighting.com



Fashion Slim Panel

- Fashion design,Edge illumination.
- Choosing high quality chips, Long lifetime, Brightly colors.
- LOW MOQ

Model	Wattage	Efficacy	Lumens	PF	Voltage	SMD Qty	CRI	Lifetime
PL510L LED32S 9/40 W60L60 WP	40	90lm/W	3200	0.95	220-240Vac	300	80	30000H
PL510L LED36S 8/40 W60L60 WP	40	80lm/W	3600	0.95	220-240Vac	300	80	30000H
PL510L LED38S 9/48 W60L60 WP	48	90lm/W	3800	0.95	220-240Vac	300	80	30000H

*More information pls check www.honnexlighting.com

HONNEX

Lighting expert

ADD:NO. 30 LIYANG NEW ROAD,LU CHENG,WENZHOU CHINA

TEL:86-577-89887719

WEB:www.honnexlighting.com

Email:info@honnex-go.com

AUG,2019

*More information pls check www.honnexlighting.com