

HONNEX
Lighting expert


Indoor



Indoor Lighting Brochure

2021 LED Indoor Lighting Catalog

*More information please check www.honnexlighting.com



Ceiling Light CL201

HONNEX




Ceiling light CL201 is a simple ceiling light, the whole light reaches IP65 level waterproof and dustproof, fully adapts to various lighting environments such as indoor, semi-indoor, balcony, garage, etc., with high cost performance.

- beautiful shape, perfect decorative lighting
- frosted panel, soft light
- easy to install
- waterproof and dustproof, IP65 Level

Specification

Model	Voltage	Material	Power	Lumen	Color	Lifetime	IP Class	Size	Warranty
HN CL201 8W WH	220-240V	PC	8W	720	2700-6500K	40000H	IP65	Φ176*55mm	3 Years
HN CL201 12W WH	220-240V	PC	12W	1080	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN CL201 16W WH	220-240V	PC	16W	1440	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN CL201 18W WH	220-240V	PC	18W	1620	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN CL201 8W BK	220-240V	PC	8W	720	2700-6500K	40000H	IP65	Φ176*55mm	3 Years
HN CL201 12W BK	220-240V	PC	12W	1080	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN CL201 16W BK	220-240V	PC	16W	1440	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN CL201 18W BK	220-240V	PC	18W	1620	2700-6500K	40000H	IP65	Φ211*55mm	3 Years

*More information please check www.honnexlighting.com



Ceiling Light CL301

HONNEX



CL301 is a kind of ceiling lamp with thick materials and beautiful appearance. The whole lamp reaches IP65 level, waterproof and dustproof, IK08 level explosion-proof, and it has many usage scenarios and a wide range of applications.

- beautiful shape. Colour: gold, silver and white.
- long lifetime 40000H
- easy to install
- waterproof and dustproof, IP65 Level
- IK08 level explosion-proof

Specification

Model	Voltage	Material	Power	Lumen	Color	Lifetime	IP /IK Class	Size	Warranty
HN CL301 15W WH	220-240V	PC+ABS	15W	1300	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 18W WH	220-240V	PC+ABS	18W	1600	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 25W WH	220-240V	PC+ABS	25W	2200	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 15W GD	220-240V	PC+ABS	15W	1300	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 18W GD	220-240V	PC+ABS	18W	1600	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 25W GD	220-240V	PC+ABS	25W	2200	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 15W SV	220-240V	PC+ABS	15W	1300	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 18W SV	220-240V	PC+ABS	18W	1600	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years
HN CL301 25W SV	220-240V	PC+ABS	25W	2200	2700-6500K	40000H	IP65/IK08	Φ325*100mm	3 Years

*More information please check www.honnexlighting.com



Wall Lamp WL702/802

HONNEX



Wall lamp WL702/802 is a beautiful shape wall lamp, which can provide a certain decorative effect while illuminating. The whole lamp reaches the waterproof and dustproof grade of IP65 level. The light is soft and does not puncture, lifetime can be 40,000H

- beautiful shape, perfect decorative lighting
- Frosted panel, soft light
- easy to install
- waterproof and dustproof, IP65 Level

Specification

Model	Voltage	Material	Power	Lumen	Color	Lifetime	IP Class	Size	Warranty
HN WL702 12W BK	220-240V	PC	12W	1080	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN WL702 16W BK	220-240V	PC	16W	1440	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN WL702 18W BK	220-240V	PC	18W	1620	2700-6500K	40000H	IP65	Φ211*55mm	3 Years

Model	Voltage	Material	Power	Lumen	Color	Lifetime	IP Class	Size	Warranty
HN WL802 12W BK	220-240V	PC	12W	960	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN WL802 16W BK	220-240V	PC	16W	1280	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN WL802 18W BK	220-240V	PC	18W	1440	2700-6500K	40000H	IP65	230*105*55mm	3 Years

*More information please check www.honnexlighting.com



Ceiling Light CL405/505

HONNEX



The ceiling lamp CL405/505 has a simple shape, IP65 level waterproof and dustproof, suitable for various complex lighting environments, high cost performance, 40000H life, 100lm/W high efficiency, and more power saving

- simple design
- frosted panel, soft light
- easy to install
- waterproof and dustproof, IP65 Level

Specification

Model	Voltage	Material	Power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN CL405 15W WH	220-240V	PC+ABS	15W	1500	2700-6500K	40000H	IP65	Φ176*45mm	3 Years

Model	Voltage	Material	Power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN CL505 15W WH	220-240V	PC+ABS	8W	800	2700-6500K	40000H	IP65	175*70*45mm	3 Years

*More information please check www.honnexlighting.com



Ceiling Light CL501

HONNEX



CL501 ceiling light is an oval ceiling light and wall light. There are two sizes and colors to choose, the maximum wattage is 18W. waterproof IP65

- waterproof and dustproof,IP65 Level
- different installation methods,easy to install
- different wattage options
- beautiful shape

Specification

Model	Voltage	Material	power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN CL501 8W WH	220-240V	PC	8W	720	2700-6500K	40000H	IP65	200*100*55mm	3 Years
HN CL501 12W WH	220-240V	PC	12W	1080	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN CL501 16W WH	220-240V	PC	16W	1440	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN CL501 18W WH	220-240V	PC	18W	1620	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN CL501 8W BK	220-240V	PC	8W	720	2700-6500K	40000H	IP65	200*100*55mm	3 Years
HN CL501 12W BK	220-240V	PC	12W	1080	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN CL501 16W BK	220-240V	PC	16W	1440	2700-6500K	40000H	IP65	230*105*55mm	3 Years
HN CL501 18W BK	220-240V	PC	18W	1620	2700-6500K	40000H	IP65	230*105*55mm	3 Years

*More information please check www.honnexlighting.com



Panel Light PL101

HONNEX




PL101 is a newly developed product. The buckle of PL101 can be adjusted freely, no matter the size of the opening, PL101 can easily deal with it, and it can adapt to a wide range of installation scenarios.

- easy to install
- frosted panel, soft light
- different wattage options
- buckle can be adjusted to meet the needs of new installation and renewal.

Specification

Model	Voltage	Material	power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN PL101 14W	220-240V	PC	12W	1080	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN PL101 22W	220-240V	PC	16W	1440	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN PL101 30W	220-240V	PC	18W	1620	2700-6500K	40000H	IP65	Φ211*55mm	3 Years

*More information please check www.honnexlighting.com



Tri-proof Light WP201

HONNEX



The WP201 integrated tri-proof lamp adopts a stronger protection design, the dosage is thicker, the wattage is 20-100W, and the application range is wide; the light efficiency is increased to 120lm/W. The installation methods are diverse, the installation is human, and the installation is more convenient.

- waterproof and dustproof,IP65 Level
- different installation methods,easy to install
- wide range of wattage, covering 20-100W
- luminous efficiency up to 120lm/W, high lumen output, economical and energy-saving
- integrated PC shell, durable, long lifetime 40,000H

Specification

Model	Voltage	Material	power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN WP201 20W BK/WH	220-240V	PC	20W	2400	2700-6500K	40000H	IP65	L600*W78*H75	3 Years
HN WP201 30W BK/WH	220-240V	PC	30W	3600	2700-6500K	40000H	IP65	L900*W78*H75	3 Years
HN WP201 40W BK/WH	220-240V	PC	40W	4800	2700-6500K	40000H	IP65	L1200*W78*H75	3 Years
HN WP201 50W BK/WH	220-240V	PC	50W	6000	2700-6500K	40000H	IP65	L1500*W78*H75	3 Years
HN WP201 60W BK/WH	220-240V	PC	60W	7200	2700-6500K	40000H	IP65	L1500*W78*H75	3 Years
HN WP201 70W BK/WH	220-240V	PC	70W	8400	2700-6500K	40000H	IP65	L1500*W78*H75	3 Years
HN WP201 80W BK/WH	220-240V	PC	80W	9600	2700-6500K	40000H	IP65	L1800*W78*H75	3 Years
HN WP201 100W BK/WH	220-240V	PC	100W	11000	2700-6500K	40000H	IP65	L2400*W78*H75	3 Years

*More information please check www.honnexlighting.com



Tri-proof Light WP601

HONNEX




WP601 is a newly designed tri-proof lamp, the whole lamp adopts a wide body design, and the vision is more beautiful and comfortable. The new design not only ensures the stability of the lamp, but also takes into account the cost considerations and reduces the cost.

- wide body design, more comfortable and beautiful
- stable function,long lifetime 40000H
- economical, low cost of replacement and new installation
- waterproof and dustproof,IP65 Level
- integrated design,easy to install

Specification

Model	Voltage	Material	power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN WP601 18W	220-240V	PC	18W	1080	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN WP601 36W	220-240V	PC	36W	1440	2700-6500K	40000H	IP65	Φ211*55mm	3 Years
HN WP601 45W	220-240V	PC	45W	1620	2700-6500K	40000H	IP65	Φ211*55mm	3 Years

*More information please check www.honnexlighting.com



Tri-proof Light WP203

HONNEX



Tri-proof light WP203 has get the favor of many users'with its solid materials and reliable performance.The combination of aluminum lamp body and PC lampshade fully guarantees the heat dissipation of the lamp and greatly extends the service life of the lamp.

- aluminum body, reliable heat dissipation
- waterproof, real IP65 Level
- stable function, long lifetime
- years warranty
- fashion design

Specification

Model	Voltage	Material	power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN WP203 30W L600	220-277V	AL+PC	30W	2700	2700-6500K	40000H	IP65	L600*W73*H81	5 Years
HN WP203 60W L1200	220-277V	AL+PC	60W	5400	2700-6500K	40000H	IP65	L1200*W73*H81	5 Years

*More information please check www.honnexlighting.com



Tri-proof Light WP205

HONNEX



Tri-proof light WP205 is an LED integrated tri-proof light which is modified according to the traditional three-proof light shape design. With high market acceptance and solid materials, it can be widely used in replacement and new installation markets. 100LM/W efficiency, excellent energy saving effect.

- PC shell, high lumen, better heat dissipation
- classic design, high market acceptance
- waterproof, real IP65 Level
- luminous Efficiency 100LM/W
- integrated design, easy to install

Specification

Model	Voltage	Material	power	Lumen	color	Lifetime	IP Class	Size	Warranty
HN WP205 18W L600	220-240V	PC+ABS	18W	2400	2700-6500K	40000H	IP65	L600*W73*H81	2 Years
HN WP205 36W L1200	220-240V	PC+ABS	36W	3600	2700-6500K	40000H	IP65	L1200*W73*H81	2 Years
HN WP205 50W L1500	220-240V	PC+ABS	50W	5000	2700-6500K	40000H	IP65	L1500*W73*H81	2 Years

*More information please check www.honnexlighting.com



Panel Light PL160

HONNEX



The newly launched PL160 series panel lights, with mature and perfect LED technology, stable and reliable performance and high cost performance, provide users with professional solutions. Drivers and chips can be upgraded and customized to meet the needs of different use environments.

- ultra slim design, meet Various indoor occasions
- meet a variety of installation requirements
- lumen can reach 130lm/W, UGR<19
- PHILIPS Original driver for choice, lifetime can be 50000H.
- LOW MOQ

Specification

Model	Wattage	Efficacy	Lumens	PF	CRI	Voltage	LGP	Frame weight	Lifetime
PL160L LED32S 8/40 W60L60	40	80lm/W	3200	0.95	Ra≥80	220-240V	MS2.0	250G	30000H
PL160L LED36S 9/40 W60L60	40	90lm/W	3600	0.95	Ra≥80	220-240V	MS2.0	250G	30000H
PL160H LED40S 10/40 W60L60	40	100lm/W	4000	0.95	Ra≥80	220-240V	MS2.2	300G	30000H
PL160H LED48S 12/40 W60L60	40	120lm/W	4800	0.95	Ra≥80	220-240V	MS3.0	300G	30000H
PL160H LED52S 13/40 W60L60	40	130lm/W	5200	0.95	Ra≥80	220-240V	MS3.0	300G	30000H
PL160L LED32S 8/40 W30L120	40	80lm/W	3200	0.95	Ra≥80	220-240V	MS2.0	250G	30000H
PL160L LED36S 9/40 W30L120	40	90lm/W	3600	0.95	Ra≥80	220-240V	MS2.0	250G	30000H
PL160H LED40S 10/40 W30L120	40	100lm/W	4000	0.95	Ra≥80	220-240V	MS2.2	300G	30000H
PL160H LED48S 12/40 W30L120	40	120lm/W	4800	0.95	Ra≥80	220-240V	MS3.0	300G	30000H
PL160H LED52S 13/40 W30L120	40	130lm/W	5200	0.95	Ra≥80	220-240V	MS3.0	300G	30000H

*More information please check www.honnexlighting.com



Panel Light PL610

HONNEX



The panel light PL610 series is based on the PL160, with structure and material upgrades. On the basis of ensuring the quality of lighting, it achieves the IP65 level of waterproof and dustproof effect, which is suitable for more use scenarios.

- waterproof, real IP65 Level
- suitable for complex lighting environment.
- choosing high quality chips, Long lifetime, brightly colors.
- LOW MOQ.

Specification

Model	Wattage	Efficacy	Lumens	PF	Voltage	LGP	IP Rate	Lifetime	Warranty
PL610L LED36S W60L60 WP	40	90lm/W	3600	0.95	220-240Vac	MS2.0	IP65	30000H	3 Years
PL610L LED38S W60L60 WP	48	80lm/W	3800	0.95	220-240Vac	MS2.0	IP65	30000H	3 Years
PL610L LED36S W30L120 WP	40	90lm/W	3600	0.95	220-240Vac	MS2.0	IP65	30000H	3 Years
PL610L LED38S W30L120 WP	48	80lm/W	3800	0.95	220-240Vac	MS2.0	IP65	30000H	3 Years
PL610L LED48S W60L120 WP	60	80lm/W	4800	0.95	220-240Vac	MS3.0	IP65	30000H	3 Years
PL610L LED57S W60L120 WP	72	80lm/W	5700	0.95	220-240Vac	MS3.0	IP65	30000H	3 Years

*More information please check www.honnexlighting.com



Email: info@honnex-go.com

TEL: 0577-89887719

WEB: www.honnexlighting.com

ADD: NO. 30 LIYANG NEW ROAD, LU CHENG, WENZHOU CHINA